

Package: DEMOVA (via r-universe)

August 25, 2024

Type Package

Title DEvelopment (of Multi-Linear QSPR/QSAR) MOdels VALidated using Test Set

Version 1.0

Date 2016-03-15

Author Vinca Prana

Maintainer Vinca Prana <vinca.prana@free.fr>

Description Tool for the development of multi-linear QSPR/QSAR models (Quantitative structure-property/activity relationship). These models are used in chemistry, biology and pharmacy to find a relationship between the structure of a molecule and its property (such as activity, toxicology but also physical properties). The various functions of this package allows: selection of descriptors based of variances, intercorrelation and user expertise; selection of the best multi-linear regression in terms of correlation and robustness; methods of internal validation (Leave-One-Out, Leave-Many-Out, Y-scrambling) and external using test sets.

License GPL (>= 2)

Depends leaps

Suggests testthat

NeedsCompilation no

Date/Publication 2016-03-15 19:54:06

Repository <https://20k-p.r-universe.dev>

RemoteUrl <https://github.com/cran/DEMOVA>

RemoteRef HEAD

RemoteSha a9b54a2e3b92a453f020556e3eb091ba140d1624

Contents

DEMOVA-package 2

fitting	3
graphe_3Sets	4
LMO	5
LOO	5
prediction	6
preselection	7
scramb	8
select_MLR	9
select_variables	9

Index	11
--------------	-----------

DEMOVA-package	<i>DEvelopment of (multi-linear QSPR/QSAR) MOdels VALidated using test set.</i>
----------------	---

Description

Tool for the development of multi-linear QSPR/QSAR models (Quantitative structure-property/activity relationship). These models are used in chemistry, biology and pharmacy to find a relationship between the structure of a molecule and its property (such as activity, toxicology but also physical properties). The various functions of this package allows: selection of descriptors based of variances, intercorrelation and user expertise; selection of the best multi-linear regression in terms of correlation and robustness; methods of internal validation (Leave-One-Out, Leave-Many-Out, Y-scrambling) and external using test sets.

Details

Package: DEMOVA
 Type: Package
 Version: 1.0
 Date: 2016-03-15
 License: GPL (>= 2)

Example of input files are available into the folder "tests".

```
# data<-read.csv("NameOfInputFile.csv",header = TRUE , sep=" ")
# mydesc<-data[,3:dim[2]]
```

Functions should be use in this order:

- preselection
- select_variables
- select_MLR
- fit
- LOO / LMO / Scramb (No specific order between these ones. Optional to do the rest)
- prediction
- graphe_3Sets

Author(s)

Vinca Prana
Maintainer: Vinca Prana <vinca.prana@free.fr>

References

1. Selassie, C. D. History of Quantitative Structure-Activity Relationship; Burger's Medicinal Chemistry and Drug Discovery Sixth Edition; John Wiley & Sons Inc., 2002; Vol. 1. (2)
2. Willett, P. Chemoinformatics: a History. Wiley Interdisciplinary Reviews: Computational Molecular Science 2011, 1, 46-56.

fitting

Performance of selected model

Description

Perform a multi linear regression between property and previously selected descriptors (using `select_MLR` function).
Calculate R2 coefficient and the predicted values from the MLR. Trace the graph experimental values vs predicted values.

Usage

```
fitting(mydata, n, property)
```

Arguments

mydata	Dataframe containing names and values of response and descriptors
n	Number of selected descriptors of the regression (determined using <code>select_MLR</code> function)
property	Name of the studied proterty

Value

prediction_TrainSet_Y.csv	File containing prediction obtained using the fitting
Y_TrainingSet.tiff	Image representing experimental values vs predicted values for the training set
fit	lm object return by the function

Examples

```
# First run select_MLR to define n  
# y<-data[,2]  
# mydata<-cbind(y,MLR)  
# fit<-fitting(data,dim(MLR)[2],"Name of property")
```

 graphe_3Sets

Predictions for the external validation set and graph

Description

Calculate the predicted values for the external validation set and trace the graph experimental values vs predicted values for training, test and external validation sets.

Usage

```
graphe_3Sets(fit, mydata, mynewdata, mynewdata2, n)
```

Arguments

fit	Multi linear regression between property and selected descriptors (lm object)
mydata	Dataframe containing names and values of response and descriptors
mynewdata	Dataframe containing property and selected descriptors values for the test set
mynewdata2	Dataframe containing property and selected descriptors values for the external validation set
n	Numbers of selected descriptors of the regression (determined using select_MLR)

Value

Rext, Rext2	return a list containing the value of the determination coefficient of the test set and of the external validation set
Graphe_3sets.tiff	Image representing experimental values vs predicted values for the all three sets

Examples

```
# This function have to be run last!

## "Test_set.csv" should be with the following form
## ID property SelectedDesc1 SelectedDesc2 ...

# new_nom<-'Test_set.csv'
# newdata<-read.csv(new_nom,header=TRUE , sep=" ")
# mynewdata=newdata[,2:dim[2]]

## "External_set.csv" should be with the following form
## ID property SelectedDesc1 SelectedDesc2 ...

# new_nom2<-'External_set.csv'
# newdata2<-read.csv(new_nom2,header=TRUE , sep=" ")
# mynewdata2=newdata2[,2:dim[2]]

#graphe_3Sets(fit,mynewdata,mynewdata2,dim(MLR)[2])
```

LMO *Leave Many Out*

Description

Calculate the robustness of the equation using the leave many out method.

Usage

```
LMO(mydata, cv, n)
```

Arguments

mydata	Dataframe containing names and values of response and descriptors
cv	Numbers of fold
n	Numbers of selected descriptors of the regression (determined using Select_MLR)

Value

return Q2, the coefficient that measure the robustness

References

1. Gramatica, P. Principles of QSAR Models Validation: Internal and External. *Qsar & Combinatorial Science* 2007, 26, 694-701.
2. Golbraikh, A.; Tropsha, A. Beware of Q(2)! *Journal of Molecular Graphics & Modelling* 2002, 20, 269-276.

Examples

```
# First run Select_MLR to define n  
  
#LMO(mydata,5,dim(MLR)[2])  
#LMO(mydata,10,dim(MLR)[2])
```

L00 *Leave One Out*

Description

Calculate the robustness of the equation using the leave one out method.

Usage

```
L00(mydata, n)
```

Arguments

mydata	Dataframe containing names and values of response and descriptors
n	Numbers of selected descriptors of the regression (determined using Select_MLR)

Value

return Q2, the coefficient that measure the robustness

References

1. Gramatica, P. Principles of QSAR Models Validation: Internal and External. *Qsar & Combinatorial Science* 2007, 26, 694-701.
2. Golbraikh, A.; Tropsha, A. Beware of Q(2)! *Journal of Molecular Graphics & Modelling* 2002, 20, 269-276.

Examples

```
# First run Select_MLR to define n
# LOO(mydata,dim(MLR)[2])
```

prediction	<i>Predictions for the test set and graph</i>
------------	---

Description

Calculate the predicted values for the test set and trace the graph experimental values vs predicted values for both training and test sets. This function also give the R2 test coefficient.

Usage

```
prediction(fit, mydata, mynewdata, n)
```

Arguments

fit	Multi linear regression between property and selected descriptors
mydata	Dataframe containing names and values of response and descriptors
mynewdata	Dataframe containing property and selected descriptors values for the test set
n	Numbers of selected descriptors of the regression (determined using Select_MLR)

Value

Exp.vs.Pred.tiff
Image representing experimental values vs predicted values for the both sets

Rext
return the value of the determination coefficient of the test set

Examples

```
# This function have to be run after choise of the model.

## "Test_set.csv" should be with the following form
## ID property SelectedDesc1 SelectedDesc2 ...

#new_nom<-'Test_set.csv'
#newdata<-read.csv(new_nom,header=TRUE , sep=" ")
#mynewdata=newdata[,2:dim[2]]

#prediction(fit,mynewdata,dim(MLR)[2])
```

preselection

Suppression of missing or constant descriptors

Description

Remove descriptors with missing values and a variance lower than 0.001.

Usage

```
preselection(desc)
```

Arguments

desc Dataframe containing the names of descriptors and their values

Value

return a dataframe without the removed variables

Examples

```
## The input file should be with the following form
## id_molecule propriete x1 x2 x3 ... # Header line
## molecule1 1 0.02 500 ...
## molecule2 5 0.06 600 ...

# nom<-"NameOfInputFile.csv"
# data<-read.csv(nom,header = TRUE , sep=" ")
# dim<-dim(data)
# mydesc<-data[,3:dim[2]]
# id<-data[,1]
# y<-data[,2]

# d<-preselection(mydesc)
```

scramb	<i>scrambling</i>
--------	-------------------

Description

Perform the y-scrambling method that consist to permute y values and try to develop new models. They have to be unperformants in order to validate the original one. The graph R² vs r(y,random) is created.

Usage

```
scramb(mydata, k, n, cercle = FALSE)
```

Arguments

mydata	Dataframe containing names and values of response and descriptors
k	Number of random run
n	Number of selected descriptors of the regression (determined using Select_MLR)
cercle	Value is TRUE or FALSE (by default) . If it TRUE it's draw a circle around the point representinf the original model

Value

Return a list of

mean	Mean of R ² new model
sd	RStandard deviation of R ² new model

And also

Scramb.tiff	Description of 'comp1'
Scramb.csv	Description of 'comp2'

References

Tropsha, A.; Gramatica, P.; Gombar, V. K. The Importance of Being Earnest: Validation Is the Absolute Essential for Successful Application and Interpretation of QSPR Models. *Qsar \& Combinatorial Science* 2003, 22, 69-77.

Rucker, C.; Rucker, G.; Meringer, M. y-Randomization and Its Variants in QSPR/QSAR. *J. Chem. Inf. Model.* 2007, 47, 2345-2357.

Lindgren, F.; Hansen, B.; Karcher, W.; Sjoström, M.; Eriksson, L. Model Validation by Permutation Tests: Applications to Variable Selection. *Journal of Chemometrics* 1996, 10, 521-532.

Examples

```
# First run Select_MLR to define n
# scramb(mydata,1000,nom,dim(MLR)[2])
```

select_MLR	<i>Development of the model (multi linear regression)</i>
------------	---

Description

From a list of descriptors and responses values, this function choose the best compromise between correlation and robustness to select the best model.

Usage

```
select_MLR(y, desc, n, method = "forward")
```

Arguments

y	Vector with values of the property/response
desc	Dataframe containing the names of descriptors and their values
n	Maximal number (integer) of descriptors for the final equation
method	Determine the method used to build the regression. Can be: "backward", "forward" (by default) or "seqrep". For more info see leaps package.

Value

Return the list of selected variables for the choosen MLR.

Examples

```
# First run Select_variables to remove descriptors with missing or constant values.
# MLR<-select_MLR(y,desc,5)
```

select_variables	<i>Selection of descriptors</i>
------------------	---------------------------------

Description

This function allow the user to select wanted descriptors between both that are intercorrelated with a correlation coefficient higher that ThresholdInterCor. The selection can also be automatic based on the correlation with the property of each variables.

Usage

```
select_variables(id, y, d, ThresholdInterCor, auto = FALSE)
```

Arguments

<code>id</code>	List of the names of observations
<code>y</code>	List of the values of the property/response
<code>d</code>	Dataframe containing the names of descriptors and their values (without missing or constant values)
<code>ThresholdInterCor</code>	Threshold value (double) of the accepted intercorrelation between descriptors (should be between 0 and 1)
<code>auto</code>	Two possible values: TRUE or FALSE (by default). The selection of descriptors is done automatically based on the correlation between descriptor and property (auto=TRUE) or is done manually by user (auto=FALSE)

Value

return a dataframe containing only of non intercorrelated variables

Examples

```
# Run after Preselection : d<-Preselection(desc)
# desc<-select_variables(id,y,d,0.95)
```

Index

* **chemoinformatics**

DEMOVA-package, [2](#)

* **package**

DEMOVA-package, [2](#)

DEMOVA (DEMOVA-package), [2](#)

DEMOVA-package, [2](#)

fitting, [3](#)

graphe_3Sets, [4](#)

LMO, [5](#)

LOO, [5](#)

prediction, [6](#)

preselection, [7](#)

scramb, [8](#)

select_MLR, [9](#)

select_variables, [9](#)